

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
124-15 31st Ave.	Con Edison	NY MANIFEST	
		NJ MANIFEST	
		RCRA-LQG	Lead, mercury, selenium, benzene, m-cresol, p-cresol, MEK.
		NY LTANK	8/29/1999 - The information under the LTANK listing is actually of a leak of 5 gallons of diesel from a vehicle's tank, not a UST.
		NY SPILLS	7/29/1996 - 1/2 cubic yard of soil removed from gasoline tank area - PCB count of 50-60 ppm.
			12/31/1996 - 1 pint antifreeze onto ground - cleaned with absorbents.
			8/28/1997 - 1 quart hydraulic oil onto concrete - rain washed spill into East River.
			7/28/1997 - 2 quarts hydraulic fluid leaked onto blacktop - cleaned up with speedy dry.
			11/25/1998 - 2 ounces dielectric fluid onto blacktop - treated as over 50 ppm PCB - double washed areas.
			1/6/1999 - 30 gallons hydraulic fluid spilled in truck shed - cleaned with diapers and absorbent.
			7/23/1999 - 8 to 16 ounces of hydraulic fluid from vehicle spilled onto grass area. Area cleaned up.
			7/24/2001 - 10 gallons non-hazardous cable oil onto asphalt - spill cleaned up with diapers and kitty litter.
			10/12/2001 - Wash water from a vacuum truck that was being deconned that had contained transformer waste with PCBs over 50 ppm spilled onto the asphalt. Asphalt was double washed into the flush shed. A puddle in yard was cleaned up.
			3/16/2001 - 1 pint dielectric fluid.
			7/22/2003 - 5 gallons hydraulic fluid onto asphalt. Spill contained with oil absorbent.
			8/25/2003 - 5 gallons hydraulic fluid - cleaned up with oil absorb.
			3/11/2010 - 5 gallons hydraulic fluid from truck onto paved surface.
			7/15/2005 - 1.5 gallons motor oil from truck onto asphalt - cleaned up with oil absorbent.
			12/24/2005 - 50 gallons wastewater onto concrete - placed speedy dry.
			3/20/2006 - Approximately 2 pints motor oil into catch basin - cleaned up with absorbent pads.
			3/27/2006 - 10 ounces hydraulic fluid spilled onto asphalt - cleaned up with kitty litter.
			12/18/2006 - Unknown quantity hydraulic fluid.
			2/12/2007 - 0.38 gallon of one phase transformer oil - non PCB.
			5/23/2007 - 15 gallons hydraulic oil from broken hose on vehicle.
31st Ave. and 125th St.	Vacant Lot	NY SPILLS	9/3/1999 - Waste oil/oil. PCB-contaminated soil identified via Phase II on property. 11 tons of soil removed. Endpoint sampling performed. Closed and removed on-site septic system, injection wells. Site closed 1/14/02.
	Excavation	NY SPILLS	1/24/2001 - While excavating for a new hookup for the state building and Home Depot, oily groundwater was encountered. Samples contained 139 and 256 ppm PCB. Origin of oil unknown. Cleanup complete 1/25.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
120-01 31st Ave.	Mount Hope Asphalt Corp	NY SPILLS	1/7/1999 - 1 inch (approx. 100 gallons) oil discovered in manhole as a result of a blown joint. Oil contained 6 ppm PCBs. Power washed, removed, and disposed of approx. 200 gallons of contaminated water and oil. No further oil observed. Case closed.
			6/30/2001 - Burner for mixing plant on fire. 100 gallons burning asphalt spill on site.
		NY LTANKS	1/4/1990 - Tank test failure. Will repair tanks. Case closed due to lack of info.
	Queen County Asphalt	US AIRS	Compliance and Enforcement Issues - PCE detected off site.
	Flushing Asphalt LLC	NY AST	More than 10 ASTs containing #2 fuel, waste oil, diesel, motor oil - some in service, some closed.
		NY UST	3 USTs containing #2 fuel oil. Closed.
	Unknown	NY LTANKS	7/17/1993 - 12,500 gallons #2 fuel oil. Overfilled tank into containment area.
	Lizza; Lizza; Hochreiter	NY SWF/LF	C&D processing.
31-89 123rd St.	Time Warner Cable	NY SPILLS	12/12/2002 - Phase II revealed soil and GW contamination. GW contamination in 3 wells believed to be coming from off-site source - possibly the adjacent College Point Oil Lagoon Site. No data in EDR for PCBs in GW. A layer of supersaturated substrate observed in 3 MWs with thick viscous oil. Thickness decreases as approaching Flushing Bay. Contamination in 1 well believed to be from an on-site source. In 2004, approx. 15 cubic yards of contaminated soil were removed. DEC closed case even though continued contamination in GW has been documented through quarterly GW monitoring.
122nd St and College Point Blvd & 30th and 31st Ave	Con Edison Co. of NY Service Center	NY SWF/LF	C&D processing.
124-16 32nd Ave.	Unknown	NY SPILLS	2 quarts antifreeze from vehicle.
124-16 31st Ave.	Pole	NY SPILLS	2 gallons transformer oil from pole onto pavement - contained and cleaned by Con Edison.
124-15 31st Ave.	C.E. Flushing Co Inc	NY UST	2 gas, 1 diesel, 1 other - administratively closed 1993.
120-15 31st Ave.	NYC Dept. of Sanitation	NY LTANK	1/24/2006 - Ethanol leak. Contained in secondary containment.
	Queens North 07-DOS DDC	NY LTANK	Contaminated soil identified during removal of 3 petroleum USTs. 173.6 tons of soil removed. Endpoint samples collected. Removed 2 additional tanks and 530 tons of soil. Ongoing GW monitoring.
		NY SPILLS	11/27/2001 - 3 oil, 1 kerosene, 2 motor oil tanks removed - soil staining observed. Investigation revealed soil and GW contamination from either diesel or gasoline. Quarterly GW sampling. GW pump and treat system. Case closed in 2011 - No SVOCs or VOCs above standards.
	Queens North 7 Sanitation	MANIFEST	Non-listed ignitable waste.
		HIST RCRA-LQG	Non-listed ignitable waste.
31st Ave & Flushing Bay	NYCDOS-North Shore MTS	NY SWF/LF	MSW - residential, institutional, commercial.
31st Ave. & 122nd St.	PCB Pool/College Point	CERC-NFRAP	Discovery 1977, PA 1979, SI 1981. Site NFRAP - site does not qualify for NPL. Archived 1993.
123rd St. and 31st Ave.	College Point Oil Lagoon	NYSHWS	1980 NYC removal action removed PCB contaminated oil, water, and associated sludge from lagoon. Post-excavation samples confirmed less than 1 ppm PCBs in remaining soil. Buildings and parking lot constructed on top of former lagoon.
122-16 31st Ave.	Queens Surface Corp	RCRA NonGen	Historical SQG 1990s - non-listed ignitable waste, PCE, lead.
124-04 31st Ave..	Home Depot	RCRA-SQG	Ignitable hazardous waste, mercury, 2,4-D, benzene, MEK, acidic/caustic solution, spent non-halogenated solvents.
		MANIFEST	
31-31 123rd St.	Kustom Crane Service Inc	NY UST	1 diesel, 1 lube oil, 1 waste oil - in service.
		NY Spills	Unknown petroleum.
31-31 123rd St.	NY Metro Peter-bilt	NY SPILLS	3/12/1996 - Caller reporting unknown petroleum from this location into an unnamed creek.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
120-36 31st Ave.	Astoria Health Center	LTANK	10/12/1998 - #2 fuel oil tank failed. Leak in line vent. Case closed lack of info. Does not meet cleanup requirement.
31-40 123rd St.	Durante Bros. Construction	NY SPILLS	During tank removal, contaminated surface soil was discovered. Soil being removed.
		NY SWF/LF	C&D processing.
		NY UST	6 diesel tanks - closed and removed.
		NY HIST UST	
	Beechwhite Realty Demo SL	NY SWF/LF	Landfill - construction and demolition debris.
		NY SPILLS	3/7/1990 - Tank test failure. 2 10K and 1 2K diesel tanks failed with a gross leak. Will excavate, isolate, and retest. Case closed due to lack of info. Does not meet cleanup requirement.
31-89 123rd St.	Premier Properties LLC	NY UST	1 gasoline out of service.
31-70 College Point Blvd.	Coastal Oil Terminal	NY LTANKS	2000 - Site contamination over time - removed UST, septic tank, pipeline and associated contaminated soil - 525 cubic yards. Installed 2 recovery wells and 18 MWs. Site closed in 2006 by DEC.
		NY SPILLS	5/28/1992 - Sheen observed on water.
			1/8/1993 - #4 fuel oil - 100 gallons - broken hose on truck - cleaned with speedy-dry.
			2/17/1995 - #6 fuel oil - 5 gallons from break in valve at dock.
			3/31/1997 - #2 fuel oil possibly coming from oil separator.
		NY MANIFEST	
		NY MOSF	
		NY CBS	
	Belcher Oil Co.	NY LTANKS	2 - 550 gallon tank system failed audit. Contained petroleum-related substance.
	Lefferts Oil Terminal Inc.	NY MOSF UST	12 tanks containing Nos. 1, 2, and 4 fuel oil.
29-44 120th St.	La Strada General Contracting	NY SWF/LF	Transfer station.
28-44 College Point Blvd.	United Rentals (North America)	NY AST	9 - Lube oil, diesel, waste oil - in-service.
		RCRA-SQG	Benzene, PCE, TCE.
		NY MANIFEST	
28-28 College Point Blvd.	Rocco Bros. Inc.	NY UST	13 gasoline tanks - closed/removed.
28-11 College Point Blvd.	Corona Auto C/O NYC Economic Dev Corp.	NY MANIFEST	Non-listed ignitable waste.
		NY UST	9 tanks - 7 gasoline, 1 waste oil, 1 #2 fuel oil - closed in 1996 removed in 2000.
		NY SPILLS	Soil and groundwater contamination of petroleum products. Quarterly GW monitoring and remediation. Ongoing as of March 2012.
		NY HIST UST	
28-21 122nd St.	Raw Equipment	NY Manifest	
124-15 28th Ave.	College Point Bus Facility -MTA Bus a.k.a MTA Bus College Point Depot	NY Spills	Ongoing soil and GW remediation from petroleum products - working on a 2012 feasibility study.
		NY CBS	
		NY HIST UST	3 diesel tanks - closed in place.
		NY UST	6 in service containing diesel - 1 waste oil in service - more than 10 diesel and gasoline have been closed in place.
		NY AST	8 - 6 motor oil, transmission fluid, hydraulic fluid - 2 diesel.
118-11 29th Ave.	Consolidated Edison	NY MANIFEST	
120-22 28th Ave.	W&S Carting Co. Inc.	NY SWF/LF	Transfer station.
120-30 28th Ave.	Confire Paving Corp	NY SWF/LF	C&D processing.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
26-27 College Point Blvd.	Getty	NY LTANKS	6/12/1998 - Diesel tank test failure.
			7/11/2001 - Contaminated soil found during tank upgrade #2 fuel oil.
		NY SPILLS	9/25/2008 - Stained gravel under dispenser - gravel removed; no impact to subsurface - gasoline.
	Former Hess	NY MANIFEST	
32-11 Harper St.	Harper Street Repair Shop	NY LTANKS	Ongoing soil and GW investigation and remediation from petroleum products - continued GW remediation and monitoring.
		NY SPILLS	
35-32 College Point Blvd.	Scrap King Flushing Inc.	RCRA-Non	waste type-batteries
College Point Blvd. & 39th Ave.	NYCDEP	MANIFEST	Non-listed ignitable waste.
37-01 College Point Ave.	37-01 College point Ave	NY SPILLS	9/17/1991 - 200 gallons #6 fuel oil onto blacktop.
37-02 College Point Blvd.	Atlantic Fuels Marketing Group	MANIFEST	
		MOSF	
		NY SPILLS	9/29/1998 - Citizen reporting property was sold and never cleaned up. Facility used to operate as an oil distributor.
			2/4/1999 - Soil contaminated with Nos. 2, 4, and 6 fuel oil.
	Flushing Terminal	LTANK	12/4/1987 - 500 gallons kerosene spilled from tank overflow. Contained in drain system holding pond.
			7/21/1988 - 500 gallons #2 fuel spilled into flushing creek from tank overflow. Investigation and cleanup oversight by DEC.
37-52 College Point Blvd.	North Shore Olds	MOSF UST	17 USTs containing Nos. 1,2,4, and 6 fuel oil and kerosene.
College Point/37th Ave.	Pittstown/Metro	NY SPILLS	7/17/1995 - #2 fuel oil in basement - less than 1 gallon.
36-30 College Point Blvd.	U-Haul Company of Metro NY	LTANK	9/4/1980 - #2 fuel oil tank failure.
		UST	4 - closed and removed.
133-20 36th Rd.	Peter Auto Repair	NY SPILLS	On-site MWs have low levels VOCs, SVOCs, MTBE ranging from below 50 ppm to 96 ppm - 2001.
39-14 College Point Blvd.	BP Service Station 2016	AST	Used waste oil - in service.
		UST	4 closed and removed, 4 in service containing unleaded gasoline.
		LTANK	On-site soil removal has occurred. MWs installed. Pump and treat system in place - ongoing cleanup.
		NY SPILLS	
133-16 King Rd.	East Hi-tech Auto		
133-53 37th Ave.	Prince Tower Realty	AST	1 waste oil.
	C&J Auto	MANIFEST	
37-20 Prince St.	Monahan Food Corp	MANIFEST	PCE, non-listed ignitable waste.
		UST	5 closed in place - contained waste oil or gasoline.
36-09 Budd Pl.	Northern Blvd Mazda		
36-07 Budd Pl.	Yonke Auto Body Works	MANIFEST	Lead.
133-11 Roosevelt Ave.	Mobil S/S	MANIFEST	Unknown, non-listed ignitable waste.
		LTANK	2005 - USTs removed and 390 cubic yards of contaminated soil removed. SVE system installed. Removed 4,910 pounds of contamination. Spill case closed.
		NY SPILLS	12/09 - Phase II performed. Ongoing quarterly GW sampling.
		UST	11 closed prior to micro-conversion - 8 in-service gasoline, #2 fuel oil, waste oil.
39-08 Janet Pl.	Spectrum Maintenance	CERCLIS-PRP	4/98 - Removal assessment, 4/98-4/99 - PRP removal action.
35-32 College Point Rd.	Willets Point Asphalt	LTANK	1998- 2011 petroleum - soil removal, GW recovery system, GW monitoring.
		NY SPILLS	9/6/2002 - 170 gallons transformer oil spilled. Cleaned up as containing 50-499 ppm PCB.
36-03 College Point Blvd.	College Point Auto Repair	UST	Waste oil.
		AST	
		LTANK	Small unregistered buried waste oil tank. Tank removed. No contamination found.
133-15 Roosevelt Ave.	NYCTA-Lawrence Substation	MANIFEST	Mercury, petroleum oil with PCB > 50 ppm, lead, transformer oil with PCB > 500 ppm.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
39-15 Prince St.	Forster Bros	MANIFEST	Non-listed ignitable waste, unknown.
133-45 Roosevelt Ave.	AAMCO Transmissions	MANIFEST	Non-listed ignitable waste.
133-63 Roosevelt Ave.	133-63 Roosevelt Ave	UST	10 gasoline tanks closed and removed, 1 waste oil tank administratively closed.
133-50 Roosevelt Ave.	133-50 Roosevelt Ave	MANIFEST	2,4-D salts and esters.
40-05 College Point Blvd.	Bland Houses NYCHA	LTANK	
		NY SPILLS	2/7/1992 - 15 gallons #4 fuel oil spilled on dirt. Filled wrong tank.
			11/21/1994 - 40 gallons #4 fuel oil spilled onto sidewalk and driveway. Applied speedi dry.
			2/11/1995 - 30 gallons #2 fuel oil spilled from tank overflow.
			7/21/1997 - 15 gallons #2 fuel oil spilled - cleanup in progress.
		UST	3 tanks removed, 1 in service - petroleum.
35-10 College Point Blvd.	Best Concrete Mix	AST	5 tanks in service, containing #2 fuel, waste oil, motor oil.
		CBS AST	Sodium hydroxide.
40-22 College Point Blvd.	Flushing Tower Center	UST	8 petroleum tanks - closed and removed.
		AST	11 petroleum tanks - closed and removed.
	Flushing Industrial Park Utilities	RCRA-LQG	B007 (Other PCB wastes).
	Brownfield Project	LTANK	
		MANIFEST	
		NY SPILLS	2006 - Discovered contaminated soil during UST removal - soil removed and endpoint samples collected.
35-11 College Point Blvd.	Legend of North Shore Auto	AST	1 tank containing waste oil - in service.
35-03 College Point Blvd.	A-Z 35th Ave Auto Service	AST	1 tank containing waste oil - in service.
4024 College Point Blvd.	Target Store	RCRA-SQG	Ignitable hazardous waste, corrosive wastes, arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver, benzene, MEK, creosol, nicotine & salts, nitroglycerine, acetone, trichloro-acetaldehyde, chloroform, cyclophosphamide, formaldehyde, cyclohexane, melphalan, methanol, phenol, reserphine, carbaryl.
		MANIFEST	
35-01 College Point Blvd.	Lotte-Hamme II Auto repair	AST	1 tank containing waste oil in service.
37-02 Main St.	Futura Interiors	AST	
38-25 Main St.	Queens County Saving Bank	UST	Closed and removed.
		LTANK	Soil contamination found during UST removals. Removed soil, post-excavation samples clean.
131-46 40th Rd.	Pride Auto Body	RCRA-CESQG	
		FINDS	
		MANIFEST	
131-63 40th Rd.	RMT Management Inc	AST	1 tank containing waste oil - in service.
131-66 40th Rd.	French Valet Dry Cleaners and Laundry	UST	1 tank containing #2 fuel oil - in service.
		MANIFEST	
	Bona Studio Inc	AST	1 tank containing #2 fuel oil - closed in place.
131-66B 40th Rd.	P&P Auto Service Inc	AST	1 tank containing waste oil - in-service.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
3618 Main St.	Pecks	LTANK	Several small (e.g., 1-2 gallons) #2 fuel oil spills.
		NY SPILLS	
College Point Blvd. & 35th Ave.	Con Edison M-402	MANIFEST	Other miscellaneous PCB waste, petroleum with > 50 ppm PCB.
3609 Main St.	PIP Printing 565	MANIFEST	Silver.
Main St. & Roosevelt Ave.	MTA MYCT Main Street Station 7 Line	MANIFEST	Lead, PCB article with > 50 ppm PCB.
35-01 Collins Pl.	Johns Auto Tech Inc	AST	1 tank containing waste oil.
133-05 35th Ave.	Quality Auto Performance Inc	AST	1 tank containing waste oil - in service.
131-22 40th Rd.	Consolidated Edison	MANIFEST	Benzene.
136-25 37th Ave.	ADT Securities	MANIFEST	Non-listed corrosive wastes.
39-08 Janet Pl.	Korean Market	NY SPILLS	1990-1995 site investigation found soil and GW contamination. 4/2/1998 - 2,000-gallon diesel tank cut open and spilled into sewer, then into Flushing Bay. DEC and USCG responded. 12/01-2/02 - Phase I and II complete. Numerous leaking USTs containing petroleum products. Soil and GW remediation ongoing under DEP and DEC.
		LTANK	
		MANIFEST	
136-21 Roosevelt Ave.	PI Associates LLC	UST	1 tank containing #2 fuel oil - closed in place.
		LTANK	Spill around stand pipe. Removed stained soil and disposed.
134-25 35th Q-11A	NYC Dept of Sanitation	LTANK	Tank test failure - diesel.
		NY Spills	1991 - Spill of 2,000 gallons at fill port line. 3/1995 - Closed tanks; found contaminated soil. 2012 - Soil and GW investigation and remediation ongoing. PCE also detecting in GW from unknown source.
		MANIFEST	Non-listed ignitable waste.
		UST	7 tanks containing petroleum closed in place, 1 tank removed.
		AST	5 tanks closed and removed; contents listed as "other."
	127-92 Willets Point Blvd	LTANK	1999 - Tanks removed. Contaminated soil removed.
136-50 Roosevelt Ave.	Macy's	LTANK	Tank test failure.
		MANIFEST	
127-16 Willets Point Blvd.	New Brother Auto Body Shop	SWF/LF	
30-01 Harper St.	Outside	SWF/LF	
		MANIFEST	
		NY SPILLS	7/23/11 - Compressor discharging lube oil - approximately 5 gallons. Shut down compressor and removed soil. 5/3/11 - 2 gallons diesel spilled into secondary containment.
127-61 Willets Point Blvd.	Chepy Station Inc.	SWF/LF	
		NY SPILLS	No Spill - waste oil staining observed on ground surface.
127-20 34th Ave.	Tully Environmental Inc.	SWF/LF	Residential, institutional, commercial.
		SPDES	
12760 Willets Point Blvd.	Boulevard Auto Wrecking Inc	SWF/LF	
		E designation	
127-54 Willets Point Blvd.	DNZ Auto Parts & Auto Sales Inc.	SWF/LF	
		AST	Used oil tank.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
136-65 Roosevelt Ave.	Queens Co Savings Bank	LTANK	Tank and soil removed.
127-43 Willets Point Blvd.	SEMCO Salvage Inc. DBA/Roosevelt Auto Wrecking	SWF/LF	Vehicle dismantling.
127-40 Willets Point Blvd.	18 Auto Parts Inc	SWF/LF	Vehicle dismantling.
		NY SPILLS	
		E designation	
136-68 Roosevelt Ave.	136-68 Roosevelt Ave	LTANK	Tank split in basement. No odor or staining.
133-01 Sanford Ave.	133-01 Sanford Ave	LTANK	75 gallons of #6 fuel oil spilled in basement and onto sidewalk from tank overfill. No impact to soil or sewers.
127-45 34th Ave.	Queens North 11C DOS-DDC	LTANK	GW contamination found during tank removal. Response Action Plan for GW contamination.
		NY SPILLS	
12732 Willets Point Blvd.	Lincoln Used Auto Parts & Cars	SWF/LF	Vehicle dismantling.
127-27 Willets Point Blvd.	127-27 Willet Point Blvd	SWF/LF	Vehicle dismantling.
		NY SPILLS	1 gallon waste oil - issued commissioners memo to clean up.
132-40 Sanford Ave.	132-40 Sanford Ave	LTANK	50 gallons of #6 fuel oil spilled as a result of a tank rupture. Contaminated soil removed.
127-18 Willets Point Blvd.	Lot 179, Tax Block 1833	SWF/LF	Vehicle dismantling.
		E designation	
127-11 Willets Point Blvd.	Lot 1, Tax Block 1832	SWF/LF	Vehicle dismantling.
		E designation	
127-11 Willets Point Blvd.	A&D Used Auto Parts and Cars Inc	SWF/LF	Vehicle dismantling.
127-08 Willets Point Blvd.	ASCOR Scrap Metal Inc.	LTANK	10/18/1991 - Waste oil spill, amount unknown. Waste oil accumulating over years. DEP investigating.
41006 Delong St.	41-06 Delong St	LTANK	Tank test failure.
		NY SPILLS	3/14/1989 - 200 gallons of #2 fuel oil spilled. NYCFD and DEP enroute.
4165 Main St.	4165 Main St	LTANK	Tank had visible leak; 20 gallons #2 fuel oil released.
37-05 Union St.	109th Precinct	LTANK	4/26/05 - Site is undergoing remediation. Quarterly GW monitoring. Gasoline product.
		MANIFEST	
127-16 34th Ave.	Best Buy Auto	SWF/LF	Vehicle dismantling.
		NY SPILLS	No spill. Phase II performed. Issued a NFA letter.
126-93 Willets Point Blvd.	Lot 37, Tax Block 1825	SWF/LF	Vehicle dismantling.
		E designation	
41-60 Main St.	41-60 Main St	LTANK	Contaminated soil discovered during No. 2 fuel oil tank removal.
33-15 127th Pl.	St. John Enterprise Inc.	SWF/LF	C&D processing.
134-02 33rd Ave.	134-02 33rd Ave	LTANK	2 - 4K tank manifold with unreadable leak rate. Will excavate and investigate. Case is administratively closed due to lack of recent info. Does not meet cleanup requirements.
34-45 Linden Pl.	Latimer Gardens - NYCHA	LTANK	Tank test failure.
		NY SPILLS	11/10/1997 - 10 gallons of #2 fuel oil spilled - in process of being cleaned up.
134-02 33rd Ave.	134-02 33rd Ave	LTANK	Tank test failure - 3 tanks removed and 2 upgraded - petroleum products.
		NY SPILLS	Less than 1 gallon waste oil spilled. Cleaned with sand and removed.
		MANIFEST	
126-53 37th Ave.	German Diaz Auto Repair	SWF/LF	Vehicle dismantling.
126-75 Willets Point Blvd.	Man Hole #11476	SWF/LF	Vehicle dismantling.
		NY SPILLS	2 quarts oil observed on 80 gallons of water in manhole. Aroclor 1260 < 1ppm. Water and oil removed.
		E designation	
126-43 37th Ave.	BCA Auto Parts Inc	SWF/LF	Vehicle dismantling.
127-48 Northern Blvd.	Shea Truck & Auto repairs	LTANK	Tank test failure - gasoline.
		NY SPILLS	150 gallons gasoline spilled as result of tank overfill.
		UST	12 gasoline tanks closed and removed. 3 tanks containing gasoline, diesel, kerosene in service.

Appendix B
Table 1
EDR Summary
Flushing Bay, Flushing River, Willets Point Summary of Findings Report

Address	Facility	Database	Comments
33-23 127th Street.	Select Towing Inc	SWF/LF	Vehicle dismantling.
126-16 37th Ave.	Express Used Auto Parts Inc	SWF/LF	Vehicle dismantling.
133050 32nd Ave.	133050 32nd Ave	LTANK	Tank test failure - diesel. Excavate and isolate problem. Case closed due to lack of recent info.
126-58 Willets Point Blvd.	Jacob Tire	SWF/LF	Vehicle dismantling.
134-37 Maple Ave.	APT Building	LTANK	Tank test failure - #6 fuel oil. 2004 - Tank and "dirt" removed. Work performed by owner. No samples collected. Owner issued letter for proper cleanup, soil/groundwater delineation and endpoint samples.
		NY SPILLS	2008- Soil samples collected. Tank removed and backfilled. 20 gallons of #6 fuel oil spilled. Cleanup crew on scene.
126-55 Willets Point Blvd.	Willets Point Auto Salvage	SWF/LF	Vehicle dismantling.
		CBS	
36-34 Prince St.	Kent Electro-plating Corp.	FINDS	Historically a RCRA-LQG
127-02A 35th Ave.	Trading Used Auto Parts	SWF/LF	Vehicle dismantling.
		NY SPILLS	Performed Phase I, Phase II. Soil and GW contamination below or slight above TAGM. Case closed.
126-53 Willets Point Blvd.	Casey Stengel Depot	LTANK	10 gallons diesel spilled into vault area. Cleaned up.
		NY SPILLS	9/27/1995 - petroleum spill- unknown quantity. Contractor drilling on site hit fuel line.
			9/23/1999 - 30 gallons hydraulic oil spilled into concrete pit. Cleaned up.
126-31 38th Ave.	M&I Auto Sales Inc	SWF/LF	Vehicle dismantling.
		TANKS	
32-04 Northern Blvd.	Shurgard's Big Yellow	LTANK	#6 fuel oil leak into basement. Unknown quantity.
126-46 34th Ave.	Crown Waste Corp	SWF/LF	Transfer station, C&D processing.
		UST	1 gasoline tank - closed in place.
		LTANK	Tank test failure.
		NY SPILLS	6/24/2002 - 100-gallon petroleum spill. Cleaned up oil spill.
126-36 34th Ave.	Flushing Auto Salvage Inc	SWF/LF	Vehicle dismantling.
126-33 34th Ave.	Good Luck Auto Parts & Used Cars Inc.	SWF/LF	Vehicle dismantling.
126-02 36th Ave.	Sambucci Bros Inc	SWF/LF	Vehicle dismantling.
126-38 35th Ave.	New York City DEP	SWF/LF	Vehicle dismantling.
		MANIFEST	
126-30 Willets Point Blvd.	Sunrise Auto Parts Inc	SWF/LF	Vehicle dismantling.
Farrington St and 32nd St.	CON-ED Farrington Street Gas Holder	MGP	Historic manufactured gas plant.
Block 4406 Lot 30 and 133-01 Higgins St.	CON Edison	MGP	Historic manufactured gas plant.
3908 Janet Pl.	3908 Janet Place	Hist Dry-cleaner	
3705 Main St.	3705 Main Street	Hist Dry-cleaner	
3915 Main St.	3915 Main Street	Hist Dry-cleaner	